



COKE FOR STEEL AND ALLOYS



Chem Coke

COKE FOR STEEL AND ALLOYS

Ascend Performance Materials' Chem Coke is made from high-quality, low-sulfur, low-ash coal. Our highly reactive, low density coke works well in the production of ferro alloys and as a charge carbon for steel making because of its increased furnace burden porosity. Chem Coke is manufactured at our Decatur, Alabama, facility on the Tennessee River, allowing access to multiple modes of transportation: barge, rail and truck. Customers around the world trust Ascend to deliver the high-performance, consistent, quality products they need when they need them.

Chem Coke is manufactured in a specially designed continuous coking process with slow-moving grates to burn off the volatiles, creating a uniquely porous carbon.

TYPICAL ANALYSIS

Ash	8 – 10%
FxC	88 – 91
Volume	0.8 - 2.0%
H ₂ O	0.8%
Sulfur	0.8 – 1.1%
Density	20lbs / ft ³ dry

TYPICAL SIZING (+8 mesh)

5/8" +	5%
1/2" x 5/8"	15%
1/4" x 1/2"	52%
8 mesh x 1/4"	25%
0" x 8 mesh	3%


SHIPPING OPTIONS (from Decatur, Alabama)



Dump truckdry, wet or conditioned



Barge wet



Rail car

About Ascend

Ascend Performance Materials is a global leader in the production of high-quality chemicals, fibers and plastics. As the world's largest fully integrated manufacturer of nylon 6,6 resin, our manufacturing processes are vertically integrated, ensuring the highest level of quality and economies of scale. Ascend's specialty chemicals and blends of acids, amines and esters are used in a variety of applications and industries. We offer customized solutions through formulated products and superior technical support.

North America

1010 Travis Street, Suite 900 Houston, TX 77002 United States

+1 713 315 5700

Europe

Watson and Crick Hill Park 11, rue Granbonpré - Bâtiment H B-1435 Mont-St-Guibert Belgium

+32 10 60 8600

Asia

Unit 3602, Raffles City No. 268, Xizang Road (M) Shanghai, 200001 China

+86 21 6340 3300

inspiring everyday

ascendmaterials.com/specialtychemicals

Disclaimer of Warranty and Liability

NOTICE: Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Ascend Performance Materials Operations LLC makes no representations or warranties as to the completeness or accuracy thereof.

Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Ascend Performance Materials Operations LLC be responsible for damages of a nature whatsoever resulting from the use of or reliance upon information or the products to which information refers. Nothing contained herein is to be construed as a recommendation to use any product, equipment or formulation in conflict with any patent, and Ascend Performance Materials Operations LLC makes no representation of warranty, express or implied, that use thereof will not infringe any patent. No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers.

©2017 Ascend Performance Materials Operations LLC. The Ascend Performance Materials mark and logos are trademarks or registered trademarks of Ascend Performance Materials Operations LLC. Rev. 01/2017